



SAFETY DATA SHEET TEXIPOL 63-258

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME TEXIPOL 63-258
 PRODUCT NO. 630258, 63US58
 SUPPLIER Scott Bader
 Wollaston
 Wellingborough
 Northamptonshire. NN29 7RL
 Tel: +44(0)1933 663100
 Emergency (24 hours) +44(0)1933
 663399
 Fax: +44(0)1933 663693
 E-mail: reach@scottbader.com

2 HAZARDS IDENTIFICATION

Repeated exposure may cause skin dryness or cracking. Irritating to eyes.

CLASSIFICATION (1999/45) Xi;R36. R66.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content % | Classification (67/548/EEC) |
|--------------------------------------------------------|-----------|------------|-----------|-----------------------------|
| ALCOHOL ETHOXYLATE | | 69011-36-5 | 2-4% | Xn;R22. Xi;R41. |
| Amides, C16-18 and C18-unsatd N,N-bis(hydroxyethyl) | | 68603-38-3 | 2-4% | Xi;R38,R41. |
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT | 265-149-8 | 64742-47-8 | 20-25% | Xn;R65. R66. |

The Full Text for all R-Phrases is Displayed in Section 16

COMPOSITION COMMENTS

Water based emulsion

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

7 HANDLING AND STORAGE

TEXIPOL 63-258**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Protect from freezing and direct sunlight.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION**PROTECTIVE EQUIPMENT****ENGINEERING MEASURES**

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of vapours.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------|-----------------------|
| APPEARANCE | Viscous liquid |
| COLOUR | White / off-white |
| ODOUR | Mild or Ammonia |
| SOLUBILITY | Soluble in water. |
| BOILING POINT (°C) | 50-150 |
| RELATIVE DENSITY | 1.0 - 1.1 |
| pH-VALUE, CONC. SOLUTION | 3-10 |
| FLASH POINT (°C) | >100 CC (Closed cup). |

10 STABILITY AND REACTIVITY**STABILITY**

No particular stability concerns.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidisers.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11 TOXICOLOGICAL INFORMATION**INHALATION**

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Liquid may irritate skin.

EYE CONTACT

Spray and vapour in the eyes may cause irritation and smarting.

TEXIPOL 63-258**12 ECOLOGICAL INFORMATION**

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

| | |
|----------------------|-----------------|
| ROAD TRANSPORT NOTES | Not Classified |
| RAIL TRANSPORT NOTES | Not classified. |
| SEA TRANSPORT NOTES | Not classified. |
| AIR TRANSPORT NOTES | Not classified. |

15 REGULATORY INFORMATION

LABELLING



Irritant

RISK PHRASES

| | |
|-----|-------------------------------------------------------|
| R36 | Irritating to eyes. |
| R66 | Repeated exposure may cause skin dryness or cracking. |

SAFETY PHRASES

| | |
|-----|-----------------------------------------------------------------------------------------------|
| S25 | Avoid contact with eyes. |
| S26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| S37 | Wear suitable gloves. |
| S60 | This material and its container must be disposed of as hazardous waste. |

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

16 OTHER INFORMATION

REVISION DATE 10/11/2011

REV. NO./REPL. SDS GENERATED 3

RISK PHRASES IN FULL

| | |
|-----|-------------------------------------------------------|
| R22 | Harmful if swallowed. |
| R65 | Harmful: may cause lung damage if swallowed. |
| R38 | Irritating to skin. |
| R66 | Repeated exposure may cause skin dryness or cracking. |
| R41 | Risk of serious damage to eyes. |

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.